5. BIBLIOGRAPHY

1. Sharma S and S. Lewis, 2010. Taste Masking Technologies: a review. Int J. Pharmacy and Pharmaceutical Sci, 2(2): 6-13.

2. Roy G. Modifying Bitterness. London, England: Technomic Publishing Co; 1997:179-211.

3. Swarbrick J, Boylan JC (editors) (2002), Encyclopedia of Pharmaceutical Technology. New York: Marcel Deker; 2053 – 2056

4. European Commission report on dietary food additive intake in the EU, October 2001; ref. COM (2001) 542 final (Annex V, table 2)

5. Hill EM, (1988), Sweetener content of common pediatric oral liquid medications. American Journal of Hospital Pharmacy ; 45:135-42

6. Dawson LM, (1991), Guidelines for compounding oral medications for pediatric patients. Journal of Pharmacy Technology ; Vol. Sept./Oct.: 168-175.

7. Pawar S, (2002), Issues in the formulation of drugs for oral use in children. Pediatric Drugs ; 4: 371-379

8. Pecar A. Arzneimitteltherapie bei Früh- und Neugeborenen, Säuglingen und Kindern. PZ Prisma 1998; 5: 5-15

9. Encyclopedia of pharmaceutical technology, 3rd Edition, Flavours and flavor modifiers – Thomas L.Reiland, John M.Lipari Pg 1763-1772

10. Ancient Science of Life, (1998), Vol. VIII, Nos. 1. July , Pages 38-40.

11. Furia, E. (1971), Fenaroli's Handbook of Flavour Ingredients; Bellanca, N., Ed.; CRC Press: Cleveland, OH.

12. Renner, H.D. (1939), Confect. Prod., 5, 255–256.

13. Y. Deepthi Priya., (2011), Approaches for taste masking of bitter drugs: A Review., Journal of Advances in Drug Research, 2011; 1(2): 58-67

14. Lachman L, Liberman HA, Kanig JS. (1987), The theory and practice of industrial Pharmacy.3rd ed, Bombay (India): Varghese publishing house; P.419-428.

15. Stier RE. (2002), A taste receptor blocker for oral hygiene compositions. Cosmetics & Toiletries, 117(5):63-70.

16. Technical information as per BASF given in http://www.innovate-excipients.basf.com

17. Delhi S., (2001), Taste masking of phenolics using citrus flavours. U.S. Pat. No. 6,235,267 to Pfizer Inc.

18. Depalmo G.A. (1993), Taste masked oral compositions containing ibuprofen. Eur. Pat. Appl. EP 05, 60,207 to Aziende chemiche Riunite Angelini Francesco (ACRAF) S.P.A.

19. Mody (1998), Paediatric ibuprofen composition. U.S. Pat. No. 4,788,220 to American Home Products Corporation.

20. Vijay D. (2009), Taste masking methods and technologies in oral pharmaceuticals: Current Perspectives., Journal of Pharmacy Research, 2(6), 1049-1054

21. Jha K. and Sharma R. (2008), Taste masking in Pharmaceuticals: An Update, Journal of Pharmacy Research, 1(2), 126-130

22. Chatap V. (2008), A Review on Taste Masking Methods of Bitter Drugs, Pharmainfo.net.

23. Jay A. and Miers J. (1995), Independence Mall West, Rohm and Haas Company, Philadelphia, PA 19105, USA, Reactive Polymers, ELSEVIER, 24, 99-107.

24. Roy G. (1994), Taste masking in oral pharmaceuticals, Pharm. Tech., 18, 84-99.

25. Fulzele S. and Jaiswal S. (2001), Preliminery studies on the development of new nonbitter chloroquine formation using tannic acid. Indian J. Pharm. Sci., 63, 45-48.

26. Tsau J. and Damani N. (1990), Taste masking compositions. U.S. Pat. No. 4,971, The Procter and Gamble Company, 791.

27. Eby G. (1992), III Taste-Masked Zinc Acetate Compositions for Oral Absorption, US Patent 5,095,035..

28. Fukami JF, Etsuo Y, Yasuo Y, Katsuhide T. Evaluation of rapidly disintegrating tablets containing glycine and carboxymethylcellulose. Int J Pharm. 2006; 310 (1, 2):101–109.

29. Moen MD, Keating GM. Sumatriptan fast-disintegrating/rapid-release tablets. Ind Drugs. 2006; 66 (6):883-890.

30. Mizumoto T, Masuda Y, Takeshi Y, Estuo Y, Katsuhide T. Formulation design of a novel fast-disintegrating tablet. Int J Pharm. 2005; 306 (1, 2):83-90.

31. Shirwaikar AA, Ramesh A. Fast disintegrating tablets of Atenolol by dry granulation method. Ind J Pharm Sci. 2004; 66 (4):422-426.

32. Udupa N, Venkatesh, Mutalik S, Venugopal K. Nimesulide dispersible tablets from direct compression method. Ind Drugs. 2001; 38(4):208-210.

33. Mishra TK, Cuming ton ZW, Kamat SV, Sanghvi PP, Sisak JR, Rajan MG. US patent, No 5869098,1999.

34. Baldi F, Malfertheiner P. Lansoprazole fast disintegrating tablet: A new formulation for an established proton pumps inhibitor. Digestion. 2003; 67(12):1-5.

35. Ahmed IS, Nafadi MM, Fatahalia FA. Formulation of a fast-dissolving Ketoprofen tablet using freeze-drying in blisters technique. Drug Dev Ind Pharm. 2006; 32: 437-442.

36. Seager, H. Drug-deliver Products and the Zydis Fast-dissolving Dosage Form, J Pharm Pharmacol. 1998; 50:375-382.

37. Jin Y, Ohkuma H, Wang CF, Natsume H, Sugibayashi K, Morimoto Y. Pharmaceutical evaluation of fast-disintegrating tablet containing Nicorandil-loaded particles. Yao Xue Xue Bao. 2001; 36 (7):535-538.

38. Shenoy V, Agarwal S, Pandey S. Optimizing fast dissolving dosage forms of Diclofenac sodium by rapidly disintegrating agents. Ind J Pharm Sci. 2003; 65 (3):197-200.

39. Mutasem M, Rawas Q, Estelle R, Simons F, Keith JS. Fast-disintegrating sublingual tablets: effect of epinephrine load on tablet characteristics. AAPS Pharm Sci Tech. 2006; 7 (2):571-581.

40. Mishra DN, Bindal M, Singh SK, Vijaya Kumar SG. Spray dried excipient base: a novel technique for the formulation of orally disintegrating tablets. Chem Pharm Bull. 2006; 54 (1):99-102.

41. Chandrasekhara RG, Nagoji KEV, Bhanoji RME. Formulation and evaluation of Nimesulide dispersible tablets. Ind J Pharm Sci. 2002; 62:598-599.

42. Nayak SM, Gopala KP. Design and optimization of fast dissolving tablets of promethazine theocholate. Ind Drugs. 2004; 41 (9):554-556.

43. Bhagawati ST, Hiermath SN, Sreenivas SA. Comparative evaluation of disintegrant by formulating Cefixime dispersible tablets. Ind J Pharm Edu Res. 2005; 39 (4):194-197.

44. Chaudhari PD, Chaudhari SP, Kolhe SR, Dave KV, More DM. Formulation and evaluation of fast dissolving tablets of Famotidine. Ind Drugs. 2005; 42(10):641-649.

45. Adel MA, Semreen M, Mazen KQ. Superdisintegrants for solid dispersion to produce rapidly disintegrating Tenoxicam tablets via camphor sublimation. Pharm Technol. 2005 ;(1):68-78.

46. Sreenivas SA, Gadad AP, Dandagi PM, Mastiholimath VS, Patil MB. Formulation and evaluation of Ondansetron hydrochloride directly compressed mouth disintegrating tablets. Ind Drugs. 2005; 43 (1):35-38.

47. Avinash MR, Devi KV, Asha AN. A novel technique for the preparation of mouth dissolving tablets of Domperidone. Ind Drugs. 2003; 40 (9):544-546.

48. Patel DM, Patel NM, Shah RR, Gogan PD, Patel AI. Studies in formulations of oro-dispersible tablets of Rofecoxib. Ind J Pharm Sci. 2004; 66 (9):621-625.

49. Mahajan HS, Kuchekar BS, Badhan AC. Mouth dissolving tablets of Sumatriptan succinate. Ind J Pharm Sci. 2004; 66 (3):238-240.

50. Patel DM, Shah RR, Jogani PD. Tablets Formulation of Piroxicam containing PVP K 30 and SLS. Ind J Pharm Sci. 2004; 66 (1):49-55.

51. Kuchekar BS, Badhan AC, Mahajan HS. Mouth dissolving tablets of Salbutamol sulphate: A novel drug delivery system. Ind Drugs. 2004; 41 (10):592-598.

52. Chowdary KPR, Hemavathi R. Formulation and dissolution rate studies on dispersible tablets of Ibuprofen. Ind J Pharm Sci. 2000; 62 (3):213-216.